

## Portable Generator (2.4kW to 2.8kW)

**Dual Voltage (110 / 230V)**

POWERED by  
**HONDA**



MODEL	HRP24D	HRP28D	HRP24MD <i>Plus+</i> Inc Steel Control Box	HRP28MD <i>Plus+</i> Inc Steel Control Box
<b>Rated Output</b>				
<b>Output Power</b>	2.4kW (3.0kVA)	2.8kW (3.5kVA)	2.4kW (3.0kVA)	2.8kW (3.5kVA)
<b>Voltage</b>	110 / 230V	110 / 230V	110 / 230V	110 / 230V
<b>Frequency</b>	50Hz	50Hz	50Hz	50Hz
<b>Engine</b>				
<b>Make / Model</b>	Honda GX160	Honda GX200	Honda GX160	Honda GX200
<b>Starting System</b>	Recoil	Recoil	Recoil	Recoil
<b>Engine Speed</b>	3000 rpm	3000 rpm	3000 rpm	3000 rpm
<b>Alternator</b>				
<b>Model</b>	Mecc Alte S15W-85/A DV 2 Pole, Brushless, Capacitor Controlled	Mecc Alte S15W-102/A DV 2 Pole, Brushless, Capacitor Controlled	Mecc Alte S16W-90/A DV 2 Pole, Brushless, Capacitor Controlled	Mecc Alte S16W-90/A DV 2 Pole, Brushless, Capacitor Controlled
<b>Sockets</b>	1 x 16A 110V 1 x 16A 230V	1 x 16A 110V 1 x 16A 230V	1 x 16A 110V 1 x 16A 230V	2 x 16A 110V 2 x 16A 230V
<b>Fuel Tank</b>				
<b>Standard Fuel Tank</b>				
<b>Fuel Tank Capacity</b>	3.6 Litres	3.6 Litres	3.6 Litres	3.6 Litres
<b>Run Time @ 75% Load</b>	3.77 Hrs	3.23 Hrs	3.77 Hrs	3.23 Hrs
<b>Long Run Fuel Tank</b>				
<b>Fuel Tank Capacity</b>	N/A	N/A	11.0 Litres	11.0 Litres
<b>Run Time @ 75% Load</b>			8.0 Hrs	8.0 Hrs
<b>Sound Level dB(A) @ 7 Mtrs</b>	71	71	71	71
<b>Dimensions (L x W x H)</b>				
<b>Standard Frame</b>	600 x 411 x 445 mm	600 x 411 x 445 mm	600 x 411 x 445 mm	600 x 411 x 445 mm
<b>Long Run Frame</b>	N/A	N/A	600 x 411 x 552 mm	600 x 411 x 552 mm
<i>Powder Coated Tubular Frames</i>				
<b>Dry Weight</b>	37 kg	39 kg	37 kg	39 kg